

RPV XL

Compact filters with an extra-large filter surface, filter class ISO ePM10-60% - ISO ePM1-85%

APPLICATIONS

- Filtration for air handling units equipped with a pre-filter
- Pre-filter for cleanroom applications

BENEFITS

- Very large filter surface
- High dust-holding capacity
- High filtration efficiency
- Eurovent certified via the manufacturer Deltrian

SPECIFICATIONS

- Medium: Mini-pleated fiberglass paper
- Frame: Plastic
- Sealing: Polyurethane
- Spacers: Hot-melt cord
- Recommended final pressure drop: 450Pa
- Max. continuous temperature: 80°C
- Max. relative humidity: 100%



DESCRIPTION	WIDTH (A) MM	HEIGHT (B) MM	DEPTH (C) MM	SURFACE AREA M2	CLASS ISO 16890	CLASS EN 779-2012	AIRFLOW M3/H	INITIAL ΔP	KWH/J 4/21-2018
RPV65 XL 592x592x440	592	592	440	32	ePM10-60%	M6	3400	65	806
RPV65 XL 288x592x440	288	592	440	16	ePM10-60%	M6	1700	65	806
RPV65 XL 490x592x440	490	592	440	27	ePM10-60%	M6	2800	65	806
RPV85 XL 592x592x440	592	592	440	32	ePM1-55%	F7	3400	72	871
RPV85 XL 288x592x440	288	592	440	16	ePM1-55%	F7	1700	72	871
RPV85 XL 490x592x440	490	592	440	27	ePM1-55%	F7	2800	72	871
RPV95 XL 592x592x440	592	592	440	32	ePM1-65%	F8	3400	78	946
RPV95 XL 288x592x440	288	592	440	16	ePM1-65%	F8	1700	78	946
RPV95 XL 490x592x440	490	592	440	27	ePM1-65%	F8	2800	78	946
RPV98 XL 592x592x440	592	592	440	32	ePM1-85%	F9	3400	97	1170
RPV98 XL 288x592x440	288	592	440	16	ePM1-85%	F9	1700	97	1170
RPV98 XL 490x592x440	490	592	440	27	ePM1-85%	F9	2800	97	1170