

IFS35

Bag filters with synthetic filter medium, filter class ISO Coarse-65%

APPLICATIONS

- Coarse (pre)filtration for air handling units and air inlet grilles
- Return air filtration

ADVANTAGES

- High dust holding capacity
- Low pressure drop across the filter
- Conical self-supporting bags Can be used in food industry

CHARACTERISTICS

- Medium: Synthetic with progressive construction
- Frame: Steel, also available in wood and plastic
- Recommended final pressure drop: 250Pa
- Max. continuous temperature: 80 degrees Celsius
- Max. relative humidity: 100%



ITEM NO.	DESCRIPTION	WIDTH (A) MM	HEIGHT (B) MM	LENGTH (C) MM	NUMBER OF BAGS	CLASS ISO 16890	CLASS EN779:2012	AIR FLOW M3/U	ΔP INITIAL
21101	IFS35 592x592x360, 6p	592	592	360	6	Coarse-65%	G4	3400	37
21102	IFS35 490x592x360, 5p	490	592	360	5	Coarse-65%	G4	2800	37
21103	IFS35 288x592x360, 3p	288	592	360	3	Coarse-65%	G4	1700	37
21104	IFS35 288x288x360, 3p	288	288	360	3	Coarse-65%	G4	850	37
21128	IFS35 592x892x360, 6p	592	892	360	6	Coarse-65%	G4	5100	37
21702	IFS35 490x892x360, 5p	490	892	360	5	Coarse-65%	G4	4250	37
21560	IFS35 288x892x360, 3p	288	892	360	3	Coarse-65%	G4	2550	37
21105	IFS35 592x288x360, 6p	592	288	360	6	Coarse-65%	G4	1700	37
22139	IFS35 592x490x360, 6p	592	490	360	6	Coarse-65%	G4	2800	37
21110	IFS35 592x592x600, 6p	592	592	600	6	Coarse-65%	G4	3400	30
21112	IFS35 490x592x600, 5p	490	592	600	5	Coarse-65%	G4	2800	30
21106	IFS35 288x592x600, 3p	288	592	600	3	Coarse-65%	G4	1700	30
21201	IFS35 288x288x600, 3p	288	288	600	3	Coarse-65%	G4	850	30
21220	IFS35 592x892x600, 6p	592	892	600	6	Coarse-65%	G4	5100	30
21332	IFS35 490x892x600, 5p	490	892	600	5	Coarse-65%	G4	4250	30
21333	IFS35 288x892x600, 3p	288	892	600	3	Coarse-65%	G4	2550	30
21111	IFS35 592x288x600, 6p	592	288	600	6	Coarse-65%	G4	1700	30
21145	IFS35 592x490x600, 6p	592	490	600	6	Coarse-65%	G4	2800	30

Different sizes on request